









SYMBOL		D1		D2		D2' EI30		D3		D4 EI30		D4' dymoszczelne		D5 dymoszczelne		D5' EI30	
SCHEMAT																	
		MIN.WYMIARY W ŚWIETLE OŚCIEŻNICY		S	80	90	90	90	90	90	90	90	100	100			
		H	200	200	200	200	200	200	200	200	200	200					
		WYMIARY W ŚWIETLE OTWORU		S _o	90	98	98	98	98	98	98	98	108	108			
		H _o	206	206	206	206	206	206	206	206	206	206					
STRONNOŚĆ		L	P	L	P	L	P	L	P	L	P	L	P	L	P	L	P
PARTER (szt.)		1	2	-	3	-	1	2	2	-	1	1	-	1	-	-	-
PIĘTRO (szt.)		-	1	-	3	-	-	2	1	-	-	1	-	1	-	-	1
SUMA (szt.)		4		6		1		7		1		2		2		1	
MATERIAŁ		drewnopochodne															
RODZAJ WYKOŃCZENIA		laminowane															
SZKLENIE		-						pojedyncze		-							
ODPORNOŚĆ OGNIOWA		-				EI30		-		EI30		-				EI30	
UWAGI		-										dymoszczelne					

Przedszkole nr 4		Maj 2015r.	
98-200 Sieradz, ul. Piłsudskiego 5a, nr ewid. działki 150			
mgr inż. arch. Grażyna Witaszczyk		upr. nr 10/76	
mgr inż. arch. Agnieszka Malinowska			
inż. Jerzy Malinowski		upr. nr 434/84	
Wykaz drzwi			
PROJEKT BUDOWLANY		1:100	12